

HEALTH PROFESSIONS COUNCIL OF ZAMBIA

ASSESSMENT TOOL FOR EYE CLINIC (CLASS C)

Facility Name: _____ Ownership Type _____ Imprest: _____

Physical Address _____ Postal Address: _____ Bed Capacity: _____

Date: _____ District: _____ Licence No: _____ Catchment Pop: _____

Contact Person: _____ Position: _____ Phone Number _____ Email: _____

1. Introduction

2. Objectives

3. Scope of service

Consultation	Cataract surgery	Visual fields	Optical dispensary
Destructive procedures	Glaucoma surgery	Laser surgery	Optical workshop
Minor Surgeries	Squint surgery	Orbital surgeries	
Ophthalmic Pharmacy	Laboratory	Refraction	

5. Human Resource

a) Staffing Level

S/N	Name	Profession	HPCZ/ GNC #	Position	F/Time	P/Time	NRC	Nationality
1								
2								
3								
4								

b) Staffing Level

Profession	Full Time		Part Time		Profession	Full Time		Part Time	
	Need	Available	Need	Available		Need	Available	Need	Available
Ophthalmologist					CO- General				
Medical Officer					General Nurses				
Ophthalmic CO					Receptionist				
Ophthalmic Nurse					Psychosocial Counselor				
Optometrist					Data Clerks				
Technician					Cleaners				
Lab Technologist					Watchmen				
Pharmacy Tech					Other.....				

6. Standard 1: Legal Establishment, Leadership and Governance

Assessment Area	Assessment Criteria (Scoring Criteria: Met =2, Partially Met = 1 and Not Met = 0)				Score		
					2	1	0
Facility	Valid Annual License from HPCZ available and displayed						
Staff files	Sample 4 Files and check the following:			Comment			
	Appointment Letter/ Contract						
	Photocopy of Professional and Academic Qualification						
	Photocopy of NRC/Passport						
	Valid Practicing Licence						
	Job Descriptions on file & distributed to staff						
	Evidence of staff performance Appraisal available						
	Disciplinary/Awards records where applicable						
Staff levels	Practitioners are -----for the scope of service		Qualified		Adequate		
Training	Records of CPD/Workshops		CPD/Training Plan				
Leave	Leave schedule (Booking log)		Records of Leave taken against accrual				
Dress Code	Official Id's won appropriately		Staff adhered to work place dress code				
Disciplinary	Discipline code available		Records of disciplinary cases and actions				
	HPCZ Code of ethics available		GNC Code of ethics available				
Governance	Evidence of business registration		Evidence of Tax Registration				
	Valid fire certification		Valid Business Permit				
	Waste management Contract		Evidence of registration with NAPSA				
Strategy management	Latest strategic plan available		Vision statement documented/displayed				
	Latest action plan available		Mission statement documented/displayed				
	Review of progress on plans		Scope of service documented/displayed				
	Approved Organogram displayed		Evidence of management meeting				
Supervision & Support	Supervision/ Tech-support log book		Supervision/Tech-support feedback				
	Compliance to Weekly supervision requirements						
Achieved Score / Total Applicable Score							20

7. Standard 2: Infrastructure

Assessment Area	Assessment Criteria							Score		
								2	1	0
Infrastructure	All eye clinic rooms meeting PHA Cap 295 (Floor area not less than 8.4 m2, Horizontal dimensions not less 2.1m, Height not less than 2.6m)	<i>Room</i>	<i>Y</i>	<i>N</i>	<i>Comment if No</i>					
		Reception								
		Spectacle Dispensary								
		Consultation rooms								
		Treatments rooms								
		Eye wards								
		Ophthalmic Theatre								
		Workshop								
		Toilet								
		Building in good state of repair with the following well maintained?								
	Walls	Fixtures	Doors	Floors	Roof	Windows				
Ventilation	Adequate natural ventilation			Adequate artificial ventilation						
Lighting	Adequate natural lighting			Adequate artificial lighting						
Achieved Score / Total Applicable Score									8	

8. Standard 3: Environment, Health & Safety

Assessment Area	Assessment Criteria Assessment Criteria (Scoring Criteria: Met =2, Partially Met = 1 and Not Met = 0)						Score		
							2	1	0
Sanitation	Infection Prevention Committee or Designated person overseeing IPC activities								
	Functional sinks in...		Exam Rooms		Treatment rooms		Toilets		
	Running water in...		Exam Rooms		Treatment rooms		Toilets		
	Handwashing signage		Exam Rooms		Treatment rooms		Toilets		
	Male Toilet		Female Toilet		Staff Toilets				
	Sanitary bin in female toilet			Sanitary bin in Staff Toilet					
	Are toilets clean?		Male toilet		Female toilet		Staff Toilet		
Ventilation	Adequate natural ventilation			Artificial ventilation (Aircon/fan)					
Lighting	Adequate natural lighting			Artificial lighting					
Surrounding	Clean environment			Outdoor sanitary bins provided					
	Proper ground maintenance			No littering of rubbish on premises					
	Secure storage place for waste			Proper drainage system available					
Waste Disposal	Incinerator or waste contract			Bins for segregation of waste					
	Recommended Pedal bin			Colour coded bin liners					
Management of	Sharps box			Segregation of waste adhered to					
	Availability of guidelines			Bucket for plain water					
	Bucket for chlorine water			Access to sterilizer					
Occupation health/safety	Bucket for soap water			Compliance to sterilization					
	OHS Guidelines/SOP			Adequate Personal protective equip					
	Signage in all rooms			Staff vaccination program in place					
Venerable Population	Provision for wheelchair			Premises safe for people with disability					
	Written Policies available			Linkage to ZP/Victims Support					
	Register for cases			Linkage to Social welfare services					
Fire Safety	Case reporting system			Linkage to Referral Hospital					
	Functional Fire extinguisher			Bucket of sand					
	Fire exist marks in all rooms			Extinguisher servicing is up to date					
Power Security	Evidence of annual fire drills			Fire assembly point available					
	Electricity Available			Backup power supply					
Perimeter Fence			Security Guards						
Achieved Score / Total Applicable Score								22	

9. Standard 4: Reception requirements

Assessment Area	Assessment Criteria (scoring criteria: Met =2, Partially Met = 1 and Not Met = 0)						Score		
							2	1	0
Essential Equipment & supplies	Assorted frames		Frame holders		Pedal Bin		Grass pouch		
	Assorted sun grasses		Big Mirrors		Bin Liners		Lens cleaners		
	Spectacle Case		Paper towel		Lens cleaner		Exam gloves		
Stationary	Attendant register		Assorted forms		Stepuler		Perforator		
Environment	Patient's chair		Liquid Soap		Handwash-sign		Storage cabinet		
	Running water		Pedal bin (1)		Binlinner-black		Sanitizer paper		
	Work table		Staff's chair						
Achieved Score / Total Applicable Score								6	

10. Standard 5: Eye Doctor's Consulting Room

Assessment Area	Assessment Criteria						Score		
							2	1	0
Protocols	Eye care books		Refraction SOP		STG 2013		ZNF/BNF		
Essential Equipment	6m snellens chart		Ophthalmoscope		Retinoscope		Slit lamp		
	3m snellens chart		Projected Chart		Gonioscope		PD ruler		
	Ishihara's Chart		Near reading chart		Full Trial Set		Touch		
	Stethoscope		Thermometer		BP machine		Foot step		
	Tonometer		Access to sterilizer		Visual field unit		Air-Con		
Optional	Lensometer		Keratometer		Auto refractometer		Phoropter		
Support	Patient's chair		Doctor's chair		Doctor's table		Storage cabinet		
Suplies	Exam gloves		Needle 21 G		Cotton swabs		Surgical gloves		
	Floreline		Constrictors		Lignocaine		Sanitizer paper		
Water & sanitation	Running water		Pedal bin (2)		Binliner-black		Liquid Soap		
	Paper towel		Sharp box		Binliners-yellow		Handwash-sign		
Linnen	Dark curtains		Bedsheets		Pillows				
Achieved Score / Total Applicable Score									14

11. Standard 6: Treatment Room Requirements

Assessment Area	Assessment Criteria (Scoring Criteria: Met =2, Partially Met = 1 and Not Met = 0)						Score		
							2	1	0
Essential Equipment	Snellens chart		Ophthalmoscope		Retinoscope		Slit lamp		
	Drip stand		Projected Chart		Gonioscope		Phoropter		
	Ishihara's Chart		Near reading chart		Full Trial Set		Touch		
	Stethoscope		Thermometer		BP machine		Foot step		
	Dressing set		Minor surgery set		Suturing set		Recievers		
	Tonometer		Access to sterilizer		Galipots		Coutch		
Optional	Lensometer		Keratometer		Auto refractometer		Phoropter		
Furniture	Patient's chair		Nurse's chair		Nurse's table		Storage cabinet		
Suplies	Exam gloves		Needle 21 G		Normal saline		Surgical gloves		
	Floreline		Constrictors		Lignocaine		Sanitizer paper		
	Drum-cotton		Drum- Gauze		Giving set		Straping		
	Mydriatics		Bandage		Eye shield		Manital		
	Povidone		Cydex		Methylted spirit		Chlorine		
Water & sanitation	Running water		Pedal bin (2)		Binliner-black		Liquid Soap		
	Bucket-cydex		Bucket-water		Bucket-chlorine		Bucket-soapy		
	Paper towel		Sharp box		Binliners-yellow		Handwash-sign		
	Dark curtains		Bedsheets		Pillows		IP SOP		
Achieved Score / Total Applicable Score									10

12. Standard 7: Refraction (Optometrists Room)

Assessment Area	Assessment Criteria (Scoring Criteria: Met =2, Partially Met = 1 and Not Met = 0)							Score			
								2	1	0	
Essential Equipment	6m snellens chart		Ophthalmoscope		Retinoscope		Touch				
	3m snellens chart		Projected Chart		Jacksons cyliner		PD ruler				
	Ishihara's Chart		Near reading chart		Full Trial Set		Screws				
	Lensometer		refractometer		Screw drivers						
Optional	Slit Lamp		Keratometer		Air conditioner		Phoropter				
Environment	Patient's chair		Doctor's chair		Lens cleaner		Storage cabinet				
	Exam gloves		Paper towel		Binliner-black		Sanitizer paper				
	Running water		Pedal bin (1)		Handwash-sign		Dark curtains				
Achieved Score / Total Applicable Score											6

13. Standard 8: Ophthalmic theatre standards

Assessment Area	Assessment Criteria (scoring criteria: Met =2, Partially Met = 1 and Not Met = 0)							Score			
								2	1	0	
Rooms	Operating room		Blocking room		Change room		Scrub area				
	Receiving bay		Store room		Preparation		Recovery				
Essential Equipment	Operating microscope		Ophthalmoscope		Cautery unit		Cataracts				
	Operating table		Work surfaces		BP machine		Suction unit				
	EKG and/or ECG		Diagnostic		Thermometer		Notice board				
	Airway equipment		Notice board		Autoclave unit		Fridge				
Surgical set	Exenteration set		Enucleation set		Evisceration set		Cataract set				
	Squint correction		Laser treatment		Glaucoma set		Excision set				
Premeds	Constrictors		Mydriatics		Promethazine		Atropine				
Anaesthetics	Lignocaine-plane		Lignocaine-adrenaline		General Anesthesia						
Sutures	9/0 or 10/0 absorbable		8/0absorbable		Nylone2/0		Nylon3/0				
Fluids	Normal saline		Ringers		Dextrose		Manital				
Drumss	Gowns		Gauze		cotton		Drapes		Towels		
Gloves	Surgical gloves – assorted size				Exam gloves – assorted size						
Suplies	Needles 21G		Cannula		Giving set		Straping				
	Needles 23G		Bandage		Eye shield		Crape bandanges				
	Syringes 5mls		Syringes 2mls								
Cleaning material	Povidone		Cydex		Methylted spirit		Chlorine				
	roap –powdet		Soap-liquid		Vim						
Infection coontrol	Red line		Kick buckets		Bucket-chlorine		Bucket-Soapy				
	Bucket-P/water		SOPs		Bucket-Tubes						
PPE	Aprons		Head capes		Masks		Theatre scores				
Registers	Booking		Operating		Adverse event						
Inventory	Bin card for all medicines/supplies				Bin cards up to date						
Achieved Score / Total Applicable Score											30

14. Standard 9: Optical Workshop/ Laboratory

Assessment Area	Assessment Criteria (Scoring Criteria: Met =2, Partially Met = 1 and Not Met = 0)						Score		
							2	1	0
Environment & Furniture	Table		Chair- Technician		Working station		Storage cabinet		
	Soap		Coat hunger		Lenses storing racks		Running water		
	Pedal bin		Binliner-black		Hand wash signage				
Essential Equipment	Lens meter		Dispensing protractor		Soldering gun		PD ruler		
	Axis aligner		Frame warmer/heater		Layout marker		Plyers		
	Lens former		Lens edger-automated		Lens edger-manual		Drill		
Supplies	Ink		Screws		Soldering wire		Glue		
	Face mask		Paper towel		Lens cleaner		Gloves		
Achieved Score / Total Applicable Score									6

15. Standard 10: Eye care Practices

Assessment Area	Assessment Criteria (scoring criteria: Met =2, Partially Met = 1 and Not Met = 0)						Score		
							2	1	0
Clinical audit (documenting of care)	History taking		Examination		Investigations		Accurate diagnosis		
	Correct treat		Right dose		Right route		Right duration		
	Clinicians' names printed on all notes				Clinicians sign off all nonets				
	Clinicians have readable handwriting				Patient adequately reviewed				
Storage practices	Functional air-condition			Room thermometer			Room Temperature chart		
	Functional fridge			Fridge thermometer			Fridge Temperature chart		
	Adequate shelves			Adequate pellets					
Inventory management	Purchase records available			No expiry supplies			Labeled expiry section		
	Bin cards for all supplies			Inventory up to date					
Emergency care	Access to emergency tray with adequate emergency medicine								
	Facility keeps a log of adverse events in the department								
Achieved Score / Total Applicable Score									8

17. Standard 11: Equipment maintenance

Assessment Area	Assessment Criteria (Scoring Criteria: Met =2, Partially Met = 1 and Not Met = 0)				Score			
					2	1	0	
Instauration & inventory	Equipment register			Equipment inventory up to date				
	Equipment installed appropriately			Non-functioning equipment isolated				
Servicing	Equipment service schedule			Equipment manuals available to users				
	Competent service personnel			Equipment serviced as per schedule				
Achieved Score / Total Applicable Score								4

18. Standard 12: Patient focus and Feedback

Assessment Area	Assessment Criteria (Scoring Criteria: Met =2, Partially Met = 1 and Not Met = 0)				Score			
					2	1	0	
Patient Focus	Appropriate Sign posts			Safe water for drinking provided				
	Adequate waiting area			Waiting area appropriately furnished				
	Adequate IEC materials			HPCZ Approved patient charter				
Patient feedback	System for collecting patient feedback (suggestion boxes/complaint register)							
	System for collecting feedback from referral facility (referral form with feedback)							
Confidentiality & Consenting	Adequate screens available			Facility has written consent form				
	Availability of the following guidelines from HPCZ;							
	Guidelines on Patient Consent			Guidelines on Patient Confidentiality				
	Guidelines on Patient's record			Guidelines on Pervasive Incentives				
Achieved Score / Total Applicable Score								6

19. Standard 13: Generation, Storage and management of Records

Assessment Area	Assessment Criteria (Scoring Criteria: Met =2, Partially Met = 1 and Not Met = 0)				Score		
					2	1	0
Ventilation	Adequate natural ventilation		Artificial ventilation (Aircon/fan)				
Lighting	Adequate natural lighting		Adequate artificial lighting				
Paper base data	Adequate shelves/cabinets		Records lockable and secure				
	Adequate Section for archiving		Active & inactive files separated				
Electronic data	System password protected		Access is restricted				
	System for buck up of records		user rights clearly defined				
Generation and Storage Practices	Health facility maintains patients records for minimum of 5 years before disposal						
	Facility captures sufficient patient contact information						
	Age		Patient ID No.		Emergency Contact person		
	Sex		Patients phone No.		Phone for contact person		
	Patients Name		Address				
	Availability of qualified personnel to manage patient record						
Managing Health Information (HMIS)	SOP for Data management		Monthly report to next level done				
	Assigned responsibility for HMIS		Appropriate data equipment				
	Data capturing forms e.g tally sheets,		Notifiable diseases being reported				
	Availability of OPD Register		Data trending/flagging				
Achieved Score / Total Applicable Score							12

20. Summary of scores for all Standard

Standard No.	Standard Description	Achieved Score	Applicable standards Scores	Total available Scores
Standard 1	Legal Establishment, Leadership and Governance			20
Standard 2	Infrastructure			8
Standard 3	Environment, Health & Safety			22
Standard 4	Reception			6
Standard 5	Eye Doctor's Consultation Room			14
Standard 6	Treatment Room			10
Standard 7	Refraction services (Optometry)			6
Standard 8	Ophthalmic Theatre services			30
Standard 9	Optical workshop/Laboratory services			6
Standard 10	Eye Care Practices			8
Standard 11	Equipment Management			4
Standard 12	Patient focus and Feedback			12
Standard 13	Generation, Storage and management of Records			12
Total scores				158

$$Total\ Score = \frac{Total\ Score}{Expected\ Score} = \frac{\quad}{\quad} \times 100 = \quad\%$$

21. Risk Grading

Score	Risk Level Identified	Colour Code	Tick (/)	Comment
100%	No risk of harm identified	Green		
75 – 100%	Relative risk of harm Identified	Yellow		
50 – 75 %	Moderate risk of harm identified	Orange		
< 50 %	High risk of harm identified	Red		

22. Major Inspection Findings and Recommendations

Summary of Major Inspection Findings and recommendations		
S/N	Major Findings	Recommendations
1		
2		
3		
4		
5		

23. Inspection Team

S/N	Name	Station	Signature	Date
1				
2				
3				
4				
5				

24. Signature of Facility Representative

S/N	Name	Positon	Signature	Date
1				
2				

25. Official Stamp (were available)